



PRODUCT CATALOGUE



G-SAND

G Sand Abrasives

Abrasive discs, sheets and accessories

The Farécla Abrasives Range has been developed to offer solutions for fast, effective defect removal and preparation prior to the compounding process. With outstanding performance and a long life, these products provide an even and consistent scratch pattern with a universal attachment system allowing easy compatibility with multiple systems.

The range caters for all paint systems, with Blending discs, P1200, P1500 and P2000 grades available for Medium and High Solids and P3000 for fully cured Ultra High Solids and Scratch Resistant Clearcoats.



G Sand Waterproof Sheets 9" x 5.5" (230mm x 140mm) - by hand

Sizes & P Grades	Codes	Qty.
P1500 x 50 sheets	GSW115	10
P2000 x 50 sheets	GSW120	10

Use With
G Sand Flattening Block **GSA012**



G Sand Denibbing Roses 35mm roses for dust inclusions - by hand

Sizes & P Grades	Code	Qty.
P2000 x 100 roses	GSD320	12

Use With
G Sand Denibbing Block **GSA301**



G Sand 75mm Abrasive Film Discs by machine

Sizes & P Grades	Codes	Qty.
P1200 x 50 discs	GSD712	8
P1500 x 50 discs	GSD715	8
P2000 x 50 discs	GSD720	8



G Sand 75mm (P3000) Abrasive Foam Discs by machine

Sizes & P Grades	Codes	Qty.
75mm P3000 x 30 discs	GS3701	8



G Sand 150mm Abrasive Film Discs by machine

Sizes & P Grades	Codes	Qty.
P1000 (Blending) x 50 sheets	GSD110	8
P1200 x 50 sheets	GSD712	8
P1500 x 50 sheets	GSD715	8
P2000 x 50 sheets	GSD720	

Use With
G Sand Universal Back Up Pad **GSA101**
G Sand 150mm Interface Pad **GSA106**



G Sand 150mm (P3000) Abrasive Foam Discs by machine

Sizes & P Grades	Codes	Qty.
150mm P3000 x 10 discs	GS3101	8



G3 Premium Abrasive Compound



- For use on all paint types including the very latest energy or 'hyper' clearcoats
- Long lasting, powerful cut
- Permanent results fast - No fillers
- No dragging, staining or hazing on fresh paints
- No dusting or splatter. Exceptionally easy and quick to wipe off

Sizes	Codes	Qty
500g	G3P506	12
1kg	G3P101	6

ALL
PAINT
TYPES

DRY USE

NO
FILLERS

Use With



G Mop Yellow
Compounding Foam
GMC312 (3" / 75mm)
GMC612 (6" / 150mm)
GMC812 (8" / 220mm)



G Mop Back Plate
with Yellow Interface
for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)



G Mop Flexible Back
Plate for 8" Pads
GMB814 (14mm thread)
GMB858 (5/8" thread)
GMB816 (16mm thread)

How To Use



Shake well




Apply a small
amount of
product



Attach the
foam and
prime



Spread then
compound at
900 - 1300rpm



Wipe clean
with a Cloth

G3 Regular Grade Paste Compound



- Reliable Cut - Removes P1500 or finer abrasive marks quickly and easily
- Permanent results fast - No fillers
- High Gloss System - Excellent gloss. Can be used with G3 Fine Finishing Compound for an enhanced gloss finish on dark colours
- Silicone Free - 100% paintshop safe
- Can be used by machine or hand

Sizes	Codes	Qty
250g	G3-250	24
400g	G3-400	12
1kg	G3-1000	12
3kg	G3-3000	4

MS
PAINTS

WET USE

NO
FILLERS

Use With



G Mop Wet Use
Compounding Foam
GMC606 (6" / 150mm)
GMC806 (8" / 220mm)



G Mop Back Plate
with Yellow Interface
for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)




G Mop Flexible Back
Plate for 8" Pads
GMB814 (14mm thread)
GMB858 (5/8" thread)
GMB816 (16mm thread)


How To Use



Spray area
and pad
with water




Apply a small
amount of
product



Spread then
compound at
1500 - 1800rpm



Keep
lubricated



Wipe clean
with a Cloth



G3 Premium Abrasive Compound



- For use on all paint types including the very latest energy or 'hyper' clearcoats
- Long lasting, powerful cut
- Permanent results fast - No fillers
- No dragging, staining or hazing on fresh paints
- No dusting or splatter. Exceptionally easy and quick to wipe off

Sizes	Codes	Qty
500g	G3P506	12
1kg	G3P101	6



Use With



G Mop Finishing Foam
GMF301 (3" / 75mm)
GMF601 (6" / 150mm)
GMF801 (8" / 220mm)



G Mop Back Plate with Yellow Interface for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)



G Mop Flexible Back Plate for 8" Pads
GMB814 (14mm thread)
GMB858 (5/8" thread)
GMB816 (16mm thread)

How To Use



Shake well



Apply a small amount of product



Attach the foam and prime



Spread then compound at 800 - 1100rpm



Wipe clean with a Cloth





G3 Fine Finishing Compound



- Quickly removes P3000 or finer sanding marks
- Swirls and holograms are eliminated permanently
- Restores lightly oxidised paint work and dull surfaces
- Can be used by machine with foam or lambs wool applicator as well as by hand
- Easy clean up, minimal splatter or dusting

Sizes	Codes	Qty
500ml	G3F501	12
1 ltr	G3F101	6
1 US gallon	G3F118	2



Use With



G Mop Finishing Foam
GMF301 (3" / 75mm)
GMF601 (6" / 150mm)
GMF801 (8" / 220mm)



G Mop Back Plate with Yellow Interface for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)



G Mop Flexible Back Plate for 8" Pads
GMB814 (14mm thread)
GMB858 (5/8" thread)
GMB816 (16mm thread)

How To Use



Shake well, then prime the pad




Apply a small amount of product



Compound slowly - 1000rpm to 2000rpm



DO NOT ALLOW TO DRY



Wipe clean with a Cloth




G3 Glaze Gloss Enhancer



- Provides added shine quickly with no need to re-apply, saving time and money
- Eliminate minor swirls and holograms from all paint systems to ensure a flawless finish
- Durable and water-repellent that allows fresh paint to breathe

Sizes	Codes	Qty
500ml	G3G501	12
1 ltr	G3G101	6
1 US gallon	G3G118	2



Use With



G Mop Finishing Foam
GMF301 (3" / 75mm)
GMF601 (6" / 150mm)
GMF801 (8" / 220mm)



G Mop Back Plate with Yellow Interface for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)



Farécla Finishing Cloth (lint-free microfibre)
FC-3 (3 pack)

How To Use



Shake well



Apply a small amount of product



Attach the foam and prime



Spread then compound at 800 - 1100rpm



Wipe clean with a Cloth




G3 Wax Premium Liquid Protection



- Provides a superior gloss finish on all types of fully cured paintwork
- Viscous formulation spreads easily providing a thick protective coating that won't dry out on the surface and buffs off quickly
- Does not dry out in use in direct sunlight so it can be applied outside
- Lasts up to 3 months for a longer lasting protection

Sizes	Codes	Qty
500ml	G3W501	12
1 ltr	G3W106	6
1 US gallon	G3W118	2



Use With



Farécla Finishing Cloth (lint-free microfibre)
FC-3 (3 pack)




G Mop Finishing Foam
GMF301 (3" / 75mm)
GMF601 (6" / 150mm)
GMF801 (8" / 220mm)



G Mop Back Plate with Yellow Interface for 6" Pads
GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)


How To Use




Shake well



Apply a small amount of product



Rub on with a Finishing Cloth



Allow to dry to a haze



Wipe clean with a clean, dry Cloth



G3 Detailer

Liquid Spray Wax



- Simply spray or wipe on and buff off for a fast clean and 'just waxed' high gloss look
- Suitable for all surfaces such as paintwork, rubber, vinyl, glass, chrome and gel coats
- Prevents the build-up of contamination that can become ingrained between washes and removes fingerprints
- Does not remove previously applied waxes

Size
1 US gallon

Code
G3D118

Qty
2

USE BY
HAND

HIGH
GLOSS
FINISH

WATER-
LESS

Use With



Water Spray Bottle
WSB
(600ml)



G3 Detailer label
for Spray Bottle
PRM1144




Farécla Finishing Cloth
(lint-free microfibre)
FC-3 (3 pack)

How To Use



Shake and
fill a spray
bottle



Spray a small
amount where
needed



Buff and
wipe clean

G3 Premium Mini Polisher Kit



- Ideal for small, detailed areas such as side mirrors, trims and headlights

Kit Code
KTP012

Qty
1

Kit Contents



G3 Premium Abrasive
Compound 500g
G3P506



G3 Glaze Gloss
Enhancer 500g
G3G501




AC Delco Mini Polisher
FG-MINIPOL-B




G Mop 3" Yellow
Compounding Foams
(2 x pads)
GMC312 (3" / 75mm)



G Mop 3" Finishing
Foams (2 x pads)
GMF301 (3" / 75mm)



Spurring Brush
1090005



Farécla Finishing Cloth
(lint-free microfibre)
(1 x cloth)



G Mop Applicator Range

Innovative Advanced Technology

The G Mop Range are applicators designed with Farécla compounds to create the best cut and finish on all surfaces. Each pad has unique qualities, and with certain compounds can solve rectification issues to the best possible finish.

NEW



G Mop High Cut Foam

- High cut and rapid finish grade of foam
- Flexible to easily glide over with the contours of the surface
- Open cell structure for dry-use compounds

GMC618 (6" / 150mm)
GMC818 (8" / 220mm)



G Mop Yellow Compounding Foam

- Open cell structure for dry-use compounds
- Medium cut

GMC312 (3" / 75mm)
GMC612 (6" / 150mm) **GMC812** (8" / 220mm)



G Mop Wet Use Compounding Foam

- Closed cell structure for wet-use compounds
- High cut

GMC606 (6" / 150mm)
GMC806 (8" / 220mm)



G Mop Twisted Wool Compounding Pads

- Twisted wool for a greater cut
- High cut

GMW801 (8" / 220mm - Single Sided)
GMW806 (8" / 220mm - Double Sided)



G Mop Lambs Wool Pad

- Open cell structure for dry-use compounds
- Medium cut

GML301 (3" / 75mm)
GML601 (6" / 150mm)
GML801 (8" / 220mm)



G Mop Finishing Foam

- Soft, open cell structure
- Light cut

GMF301 (3" / 75mm)
GMF601 (6" / 150mm)
GMF801 (8" / 220mm)



G Mop Back Plate with Yellow Interface Pad for 6" Pads

- Soft interface for


GMB614 (14mm thread)
GMB658 (5/8" thread)
GMB616 (16mm thread)



G Mop Flexible Back Plate for 8" Pads

- Flexible interface for easy use on corners and hard to reach areas

GMB814 (14mm thread)
GMB858 (5/8" thread) **GMB816** (16mm thread)



G Mop Bolt Adaptor for Double Sided Pads

- Quick screw on and off design

GMB014 (14mm thread)
GMB058 (5/8" thread)
GMB016 (16mm thread)



BRILLIANTLY

SIMPLE



Farécla OPS Flexible Paint Cups & Rigid Clear Cups
Optimised 2-piece Paint System

Farécla's Optimised Paint System is an innovative process for the preparation and application of both solvent and water based paints.

Thanks to its robust 2-piece design, paint can be mixed directly in the cup, quickly assembled, used, re-filled and disposed of which guarantees a cost effective job.




ROBUST, 2 PIECE, CLOSED SYSTEM ENSURES NO LEAKAGE



CLOSED SYSTEM ALLOWS FOR INVERTED SPRAYING



UPSIDE DOWN STORAGE PREVENTS FILTER DRYING OUT



CUP COLLAPSES DOWN TO MINIMISE WASTE DISPOSAL


Other Key Benefits

- Simple and quick - only 2 pieces (instead of up to 4)
- No outer cup required so visibility of the paint remaining in the cup is increased
- Robust gun to cup connection and closed cup system - no chance of breaking or leaks and allows for inverted spraying in hard to reach areas
- Blank Rigid Clear Cups are available for "over the scales" mixing reducing the chance of erroneous mixes
- Rigid cup stays in mixing area, reducing risk of dust contamination in spray booth
- Disposable system means time saved on cleaning and cost savings on solvents



Product	Sizes	Codes	Qty.
Farécla OPS Flexible Paint Cup - 125 micron filter	300ml	PSC301	45
Farécla OPS Flexible Paint Cup - 190 micron filter	300ml	PSC306	45
Farécla OPS Flexible Paint Cup - 125 micron filter	600ml	PSC601	45
Farécla OPS Flexible Paint Cup - 190 micron filter	600ml	PSC606	45
Farécla OPS Rigid Clear Cup - Blank	650ml	PSM601	200
Farécla OPS Rigid Clear Cup - Printed	650ml	PSM606	200
Farécla OPS Stoppers	-	PSS001	100

USE



STORE





Farécla OPS Adaptors

Which adaptor to use with your paint gun

The Farécla Optimised Paint System allows to great flexibility in many ways, including to fit your favourite spray guns. Here are the types of adaptors in the Farécla OPS range and which spray guns they are used with.



Adaptor Type A
PSA00A

Bernardo Eccenaro, Iwata (W-400, WR-400, LPA-94, VXL-949, LPH400), Max-Air, Pro-Tek, SATA (NR 92 HVLP, Jet B GR, Jet GR 92 B, Jet B, Jet B NR 95 HVLP, Jet B NR 92)



Adaptor Type B
PSA00B

Aerometal, Air Gunsa (AR3, AZ3-HTE, AZ30-HTE), Eminent (E13, AZ3 HVLP, AZ3 HET), Iwata (Supernova WS 400), Sagola (Lux). DeVilbiss (GTi, GTi Pro, PRi, GFP, GFV, GFHV-510, SRi Pro, GTi Pro Lite)



Adaptor Type C
PSA00C

DeVilbiss (GTi, GTi Pro, PRi, GFP, GFV, GFHV-510, SRi Pro, GTi Pro Lite)



Adaptor Type D
PSA00D

Air Gunsa (AZ4 Serial 75 - primer), Walcom (Geo F/X 97, FX HVLP, Slim)



Adaptor Type E (sometimes used with Type Q)
PSA00E

Kremlin (M21G), SATA (KLC - HVLP/RP/P, MCB family, Jet RP, Jet RP Digital, Jet 2000 HVLP, LM 2000 B, NR 2000 Digital, Jet 90/S), Walcom Genesi



Adaptor Type F
PSA00F

Sagola, Sagola Mini



Adaptor Type G
PSA00G

SATA Minijet, Sagola Mini



Adaptor Type H
PSA00H

Aircraft



Adaptor Type L
PSA00L

Sagola (4400 Xtreme)



Adaptor Type Q (SATA QCC Adaptor - use with Type E)

PSA00Q
SATA (Jet 2000 +Type E, Jet 3000 +Type E, Jet 4000 + Type E, Jet 5000 +Type E)



Adaptor Type R
PSA00R

DeVilbiss (guns with guages)



Adaptor Type S
PSA00S


DeVilbiss SRI (SMART repair)



Adaptor Type T
PSA00T

Iwata LPH 80 (SMART repair)

GUN MAKE	GUN MODEL	ADAPTOR
Aerometal	-	B
Aircraft	-	H
Air Gunsa	AR3, AZ3-HTE, AZ30-HTE	B
Air Gunsa	AZ4 Serial 75 (primer)	D
Bernardo Eccenaro	-	A
DeVilbiss	Guns with guages	R
DeVilbiss	SRI (SMART repairs)	S
DeVilbiss	All other models	C
Eminent	E13, AZ3 HVLP, AZ3 HET	B
Iwata	Supernova WS 400	B
Iwata	LPH 80 (SMART repair)	T
Iwata	All other models	A
Kremlin	M21G	E
Max-Air	-	A
Pro-Tek	-	A
Sagola	-	F
Sagola	4400 Xtreme	L
Sagola	Lux	B
Sagola	Mini	F/G
SATA	Mini	G
SATA	NR 92 HVLP, Jet B GR, Jet GR 92 B, Jet B, Jet B NR 95 HVLP, Jet B NR 92	A
SATA	KLC (HVLP/RP/P), MCB family, Jet RP, Jet RP Digital	E
SATA	Jet 2000	E + Q
SATA	Jet 2000 HVLP, LM 2000 B, NR 2000 Digital	E
SATA	Jet 3000, 4000 & 5000	E + Q
SATA	Jet 90/S	E
Walcom	GEO F/X 97, FX HVLP, Slim	D
Walcom	Genesi	E



Finishing Cloth

- Lint-free
- Microfibre cloth
- Can be washed up to 100 times

Product Codes

FC-3 (3 x cloths)

FC-100 (100 x cloths)



G Wipe Polishing Wipes

- Ideal for removing glaze and polish
- Highly absorbant
- Solvent resistant
- Does not scratch surfaces

Product Code


1050100 (100 x wipes)



G Wipe Degreasing Wipes

- Ideal for cleaning before painting
- Non-snagging and low linting
- Ideal for use with waterborne degreasers
- Highly absorbant - holds 9 x it's weight in water / solvents

Product Code **1050200** (100 x wipes)



Autopen - for Job Identification

- Non staining (bodywork) fluorescent pen
- Does not wash off in the rain, but does come off with a wipe

Product Codes

AP5YW24 (yellow)

AP5WH24 (white)



Water Spray Bottle

- Gives an even dispersal of water
- Ensures a supply of clean water, minimises contamination

Product Code

WSB (600ml)



AC Delco Mini Polsher

- 75mm cordless polishing machine
- Lithium-Ion batteries life up to 45 mins
- Ideal for polishing small areas

FOR 3"
(75mm)
PADS

Product Code **FG-MINIPOL-B**

AC Delco Mini Polsher Brushes **MCB001**

AC Delco Mini Polsher Battery **MBA001**

AC Delco Mini Polsher Back Plate **MBP701**



Milwaukee Polishing Machine

- Variable speed, designed to reduce heat when polishing
- Quiet start up motor and safety switch
- 3 years warranty if you register online at www.milwaukee.co.uk

FOR 6"
(150mm)
PADS

Product Code **FG-POLMAC**

Milwaukee Replacement Brushes **4931369477**

Milwaukee Replacement Cable - 4m **4932373508**



Rupes Heavy Duty Polisher

- Soft start, lightweight and powerful
- Ergonomical and reversible side handle for a comfortable grip - left or right handed operator
- Electronic speed control
- Double gear reduction

FOR 8"
(220mm)
PADS

Product Code **FG-18EN**



Spurring Brush

- Quick pad cleaning tool for manually cleaning compound from a pas and foams spun on a polisher

Product Code

1090005



Farécla Products Limited,
Broadmeads, Ware,
Hertfordshire, SG12 9HS

Tel: +44 (0) 1920 465041
Fax: +44 (0) 1920 466557
E-Mail: enquiries@farecla.com

www.farecla.com

